



POWERDOT¹⁶




PARTS

(A) ×1 PCE



(B) ×1 PCE



TOOLS

T1 x1 PCE Ø 79mm
NOT INCLUDED



GENERAL NOTES


BEFORE INSTALLATION, ALL MEASUREMENTS AND CONDITIONS MUST BE VERIFIED ON SITE. NEITHER FORMING FUNCTION NOR ANY OF ITS DISTRIBUTORS CAN BE HELD LIABLE FOR PRODUCT MALFUNCTION OR OTHER DEFECTS AS A RESULT OF IMPROPER INSTALLATION.

GENERAL NOTES

AVANT L'INSTALLATION, TOUTES LES DIMENSIONS ET CONDITIONS DOIVENT ÊTRE VÉRIFIÉES SUR PLACE. NI FORMING FUNCTION NI SES PARTENAIRES COMMERCIAUX NE PEUVENT ÊTRE TENUS RESPONSABLES DES DÉFAUTS DU PRODUIT OU D'AUTRES DÉFAUTS POUVANT ÊTRE ATTRIBUÉS À UNE MAUVAISE INSTALLATION.

GENERAL NOTES

VOR DEM EINBAU SIND ALLE MASSE UND BEDINGUNGEN BAUSEITS ZU PRÜFEN. WEDER FORMING FUNCTION NOCH SEINE VERTRIEBSPARTNER KÖNNEN FÜR PRODUKTFEHLER ODER SONSTIGE MÄNGEL, DIE AUF UNSACHGEMÄSSE INSTALLATION ZURÜCKZUFÜHREN SIND, HAFTBAR GEMACHT WERDEN



POWERDOT¹⁶

1× SOCKET TYPE F, 1× USB-C PORT, 1× USB-A CHARGER 12W,
2× CABLE GROMMET, GST-18i3, BLACK/WHITE

ART. NO

9358051601
9358051609

WHITE
BLACK


PRODUCT DATA

DIAMETER	Ø83mm
HEIGHT	70-76mm
MOUNTING HOLE DIAMETER	Ø79mm
MAXIMUM TABLE THICKNESS	30mm
CABLE GROMMET DIAMETER	1× Ø7mm, 1× Ø9,5mm
CABLE LENGTH	125cm 3×1.5mm ²
USB-C CABLE LENGTH	100cm
PLUG TYPE	GST-18i3
MATERIAL	POLYAMIDE
PROTECTION CLASS	IP20
MAXIMUM POWER OUTPUT	3500W
USB CHARGER SPECIFICATION	PD3.0 12W


FORMING FUNCTION

Good design is based on human experience. That's why we promise to put as much love in creating technology that works, as something designed to be seamless, cherished and loved. We simply don't want to compromise on neither function nor form.


STEP 1




STEP 2




STEP 3




STEP 4



STEP 5



STEP 6



STEP 7

