

A concept providing power, data, and media where you want it





Powerdot Fixed level unit

Black 935-PD10 White 935-PD10W













Can be supplemented with decor frame.

Simple and functional


A convenient satellite fitted with an electrical outlet and four cable ports. Its detachable top allow for an easy insertion of additional cables. Quick and simple installation flush with the desk surface.







CERTIFIED ACCORDING TO CE AND GS STANDARD



SPECIFIKATIONS

- 1 x Power, 4 x Cable feedthrough
- Electrical Connection: Schuko / grounded 1.5m
- Drilling diameter 79 mm
- Total height 51 mm

CE

 Part no. Black 935-PD10 White 935-PD10W <u>Accessories:</u> Decor frame, 115x115 mm; Available in Silver / White / Black

Powerdot Three level unit

Black 935-PD11





Ingenious design!

A unique satellite outlet, with a pending patent, that offers three alternative height configurations. When installed at its 3rd and lowest level, cables and ports are elegantly hidden within the satellite well.










Principle for height adjustment









SPECIFIKATIONS

- 1 x Power, 4 x Cable feedthrough
- Electrical Connection: Schuko / grounded 1.5m
- Drilling diameter 79 mm
- Height 89-140 mm
- Patent-pending PCT, China.
- Part No.
 935-PD11 Adjustable in 3 levels
- <u>Accessories:</u>
 - Decor frame, 115x115 mmCover lid
 - Available in Silver / White / Black

Powerdot Three level unit

Black 935-PD12 White 935-PD12W








Unique patent pending technology


These satellite outlets are well suited for both individual desks and conference tables. Their combined use offer a complete technical solution, when a wide range of options is required. The satellite is easily mounted in table tops and can after that be adjusted in three levels depending on desired feature or needs.





Can also be supplemented with decor frame for installation of 1, 2 or 4 satellites in groups.




Principle for height adjustment









SPECIFIKATIONS

- Electrical Connection: Schuko / grounded 1.5m Data CAT6 USB Charger 5V, 2100 mA
- Adjustable in 3 levels
- Drilling diameter 79 mm
- Power, data, USB charger Black 935-PD12 White 935-PD12W
- Accessories: - Decor frame, 115x115 mm - Cover lid Available in Silver / White / Black

Powerdot Three level unit

Black 935-PD13






935-PD13 Power, HDMI and USB port



Frame and lid availble as accessories

Unique patent pending technology


These satellite outlets are well suited for both individual desks and conference tables. Their combined use offer a complete technical solution, when a wide range of options is required. The satellite is easily mounted in table tops and can after that be adjusted in three levels depending on desired feature or needs.





Can also be supplemented with decor frame for installation of 1, 2 or 4 satellites in groups.




Principle for height adjustment









SPECIFIKATIONS

- Electrical Connection: Schuko / grounded 1.5m HDMI USB Port
- Adjustable in 3 levels
- Drilling diameter 79 mm
- Power, HDMI, USB port Black 935-PD13 White 935-PD13W
- <u>Accessories:</u> - Decor frame, 115x115 mm - Cover lid
 - Available in Silver / White / Black

Powerdot

Three level unit

935-PD14W White, 935-PD14 Black






935-PD14 - 1 x Power, 2 x USB-chargers



935-PD14W - 1 x Power, 2 x USB-chargers

Unique patent pending technology


These complementary satellite outlets are well suited for both individual desks and conference tables. Their combined use offer a complete technical solution, when a wide range of options is required. The satellite is easily mounted in table tops and can after that be adjusted in three levels depending on desired feature or needs.



Can also be supplemented with decor frame for installation of 1, 2 or 4 satellites in groups.



Principle for height adjustment



S P E C I F I K A T I O N S

- Electrical Connection: Schuko / grounded 1.5m USB Charger 5V, 2400 mA
- Adjustable in 3 levels
- Drilling diameter 79 mm
- Power, 2 x USB charger Black 935-PD14 White 935-PD14W
- <u>Accessories:</u>

 Decor frame, 115x115 mm
 Cover lid
 Available in Silver / White / Black


Powerdot PD16 with **USB-C**




Communication and charging.... where you want it!

Let Powerdot be your interface for communication between devices, or let it be a potent charging station. With this Powerdot, only one single cable is needed on the desk and in the conference - it is the new future standard facilitate a "clean desk". This version of Powerdot is versatile - in spite of this, it has a significally low building height below desk.

The USB-C port can be used as an additional quick charging port for your smartphone or for compatible laptops; The port may as well be combined with a port replicator for access to power, display, internet, keyboard, mouse, etc using only one cable!







PD16 is available in EU Schuko, French, Suisse and Danish version.



 935-PD16W
 POWERDOT PD16. SCHUKO, WHITE

 935-PD16
 POWERDOT PD16. SCHUKO, BLACK

 935-PD36
 POWERDOT PD16. FRENCH, WHITE

 935-PD36
 POWERDOT PD16. FRENCH, BLACK

 935-PD46W
 POWERDOT PD16. DANISH, WHITE

 935-PD56W
 POWERDOT PD16. SUISSE, WHITE

 935-PD56W
 POWERDOT PD16. SUISSE, BLACK

1 POWER

1 USB-CHARGER (QUICK)

- 1 USB-C CONNECTION
- 2 CABLE FEEDTHROUGH

SPECIFICATIONS

- 1 x Power, 1 x USB-charger (QC2.0 5-12V, 1-2A),
 1 x USB-C port (3.1 Gen1 20V, 3A)
- Connection: Schuko/grounded
 1.5 m (3x1.5 mm²)
- Drilling diameter 79 mm
- Height 68 mm
- Max tabletop 30 mm
- Adjustable in two height levels

Accessories: Frames & covers, 105x105 mm, Silver/White/Black

Powerdot **Create your solution**





Flexible solutions

The benefits of using a Powerdot based kit for your meeting or conference room is obvious, you can adapt your configuration exactly how you want it. And of course, when the demands change in the future, any configuration is easily adjusted. Flushmount Powerdot for access in tabletop or in our tray niceley concealed with a tablecover.



EXAMPLE OF CONFIGURATION 935-TC60B COVER 935-PD12 935-PD13 935-TP05B PDU TRAY FOR 5 POWERDOTS 935-PD14 935-PD11 935-PDXX (x5) VARIOUS POWERDOTS 935-PF04B DECOR FRAME + 2 x COVERS Product range overview 935-TP56 POWERDOT BAG NOTE. A TRAY FOR 2 POWERDOTS DECOR FRAME + 4 x COVERS See Product range overview IS ALSO AVAILABLE

Direct access in tabletop - Available in white, silver and black

Concealed access - Available in white, silver and black

MONDATOR

Powerdot For conference- and meeting rooms





Flexible solutions

The benefits of using a Powerdot based kit for your meeting or conference room is obvious, you can adapt your configuration exactly how you want it. And of course, when the demands change in the future, any configuration is easily adjusted. Choose our 2 or 5-piece package solution.

COMPLETE KITS WITH POWERDOTS (PD10)

INCLUDES TABLE COVER, POWERDOT TRAY, POWERDOT PD10, TEXTILE BAG, MULITPLE SOCKET

SMALL 2

DIMENSION COVER: 310 X 148 MM. CUT OUT: 300 X 140 MM 2 POWERDOTS, TOTAL 2 POWER, 8 CABLE FEED-THROUGH

- 935-K210W DOWERDOT SMALL CONFERENCE, 2 POWERDOT, WHITE
- 935-K210 POWERDOT SMALL CONFERENCE, 2 POWERDOT, SILVER 935-K2108 ■ POWERDOT SMALL CONFERENCE, 2 POWERDOT, BLACK
- **35-K210B** POWERDOT SMALL CONFERENCE, 2 POW

LARGE 5

DIMENSION COVER: 610 X 148 MM. CUT OUT: 600 X 140 MM 5 POWERDOTS, TOTAL 5 POWER, 20 CABLE FEED-THROUGH

- 935-K510W DOWERDOT LARGE CONFERENCE, 5 POWERDOT, WHITE
- 935-K510 POWERDOT LARGE CONFERENCE, 5 POWERDOT, SILVER
- 935-K510B POWERDOT LARGE CONFERENCE, 5 POWERDOT, BLACK



COMPLETE PACK WITHOUT POWERDOTS

INCL	UDE	S

TABLE COVER, POWERDOT TRAY, TEXTILE BAG, MULTIPLE SOCKET

SMALL 2

DIMENSION COVER: 310 X 148 MM. CUT OUT: 300 X 140 MM 2 SPACES FOR Ø80 POWERDOTS

935-K200W	POWERDOT SMALL CONFERENCE, WHITE
935-K200	POWERDOT SMALL CONFERENCE, SILVER
935-K200B	POWERDOT SMALL CONFERENCE, BLACK

LARGE 5

DIMENSION COVER: 610 X 148 MM. CUT OUT: 600 X 140 MM 5 SPACES FOR Ø80 POWERDOTS

935-K500W	POWERDOT LARGE CONFERNCE, WHITE
935-K500	POWERDOT LARGE CONFERENCE, SILVER
	DOWEDDOT LADOE CONFEDENCE DI LOV

935-K500B POWERDOT LARGE CONFERENCE, BLACK





Product range overview Powerdot - Ø 79 mm



935-PD10W POWERDOT SATELLITE, WHITE 1 POWER, 4 X CABLE-THROUGH FIXED LEVEL. HEIGHT 45 MM.



935-PD12W POWERDOT SATELLITE, WHITE 935-PD12 1 POWER, 1 DATA, 1 USB-CHARGER VERTICALLY MOVABLE IN 3 POSITIONS. неіднт 89 мм.



935-PD14W POWERDOT SATELLITE, WHITE 1 POWER, 2 USB-CHARGER (2.1 A, TOT) VERTICALLY MOVABLE IN 3 POSITIONS. неіднт 89 мм.



POWERDOT SATELLITE, BLACK 935-PD10 1 POWER, 4 X CABLE-THROUGH FIXED LEVEL. HEIGHT 45 MM



POWERDOT SATELLITE, BLACK 1 POWER, 1 DATA, 1 USB-CHARGER VERTICALLY MOVABLE IN 3 POSITIONS. неіднт 89 мм.



935-PD14 POWERDOT SATELLITE, BLACK 1 POWER, 2 USB-CHARGER (2.1 A. TOT) VERTICALLY MOVABLE IN 3 POSITIONS. ныднт 89 мм.



POWERDOT SATELLITE, BLACK 935-PD11 1 POWER, 4 X CABLE-THROUGH VERTICALLY MOVABLE IN 3 POSITIONS HEIGHT 89 MM.



935-PD13W POWERDOT SATELLITE, WHITE 1 POWER, 1 HDMI, 1 USB-PORT VERTICALLY MOVABLE IN 3 POSITIONS. ныднт 89 мм.



935-PD16W POWERDOT SATELLITE, WHITE 935-PD16 1 POWER, 1 USB-CHARGER 1 USB-C PORT, 2 CABLE-THROUGH VERTICALLY MOVABLE IN 2 POSITIONS. неіднт 74 мм.




935-PD13 POWERDOT SATELLITE, BLACK 1 POWER, 1 HDMI, 1 USB-PORT VERTICALLY MOVABLE IN 3 POSITIONS. неіднт 89 мм.



POWERDOT SATELLITE, BLACK 1 POWER, 1 USB-CHARGER 1 USB-C PORT, 2 CABLE-THROUGH VERTICALLY MOVABLE IN 2 POSITIONS. ныднт 74 мм.

POWERDOT AVAILABLE IN SPECIFIC COUNTRY STANDARDS



POWERDOT SATELLITE, BLACK 935-PD20 1 POWER (ENGLISH), 4 CABLE-THROUGH FIXED LEVEL. HEIGHT 45 MM



935-PD22

POWERDOT SATELLITE, BLACK 1 POWER (ENGELSK), 1 DATA, 1 USB-CHARGER VERTICALLY MOVABLE IN 3 POSITIONS. неіднт 89 мм.



935-PD30 POWERDOT SATELLITE, BLACK 935-PD30W D POWERDOT SATELLITE, WHITE 1 POWER (FRENCH), 4 CABLE PORT FIXED LEVEL. HEIGHT 45 MM.



935-PD32 POWERDOT SATELLITE, BLACK 935-PD32W DOWERDOT SATELLIT, WHITE 1 POWER (FRENCH), 1 DATA, 1 USB-CHARGER VERTICALLY MOVABLE IN 3 POSITIONS. неіднт 89 мм.



935-PD36 POWERDOT SATELLITE, BLACK 935-PD36W DOWERDOT SATELLITE, WHITE 1 POWER (FRENCH) 1 USB-CHARGER 1 USB-C PORT, 2 CABLE-THROUGH VERTICALLY MOVABLE IN 2 POSITIONS. ныднт 74 мм.

POWERDOT SATELLITE, BLACK 935-PD40 1 POWER (DANISH),

FIXED LEVEL. HEIGHT 45 MM.



4 CABLE PORT

POWERDOT SATELLITE, BLACK 935-PD42 1 POWER (DANISH), 1 DATA, 1 USB-CHARGER VERTICALLY MOVABLE IN 3 POSITIONS. HEIGHT 89 MM.



935-PD46 POWERDOT SATELLITE, BLACK POWERDOT SATELLITE, WHITE 935-PD46W 1 POWER (DANISH) 1 USB-CHARGER 1 USB-C PORT. 2 CABLE-THROUGH VERTICALLY MOVABLE IN 2 POSITIONS. ныднт 74 мм.




935-PD56

POWERDOT SATELLITE, BLACK 1 POWER (SWITZERLAND) 1 USB-CHARGER 1 USB-C PORT, 2 FEED-THROUGHS VERTICALLY MOVABLE IN 2 POSITIONS. неіднт 74 мм.



Powerdot Accessories Ø 80 mm





POWERDOT FRAMES & COVERS Ø 80 MM

 935-PF01W
 METAL FRAME, FOR 1 POWERDOT, WHITE

 935-PF01B
 METAL FRAME, FOR 1 POWERDOT, SILVER

 935-PF02W
 METAL FRAME, FOR 2 POWERDOT, WHITE

 935-PF02W
 METAL FRAME, FOR 2 POWERDOT, WHITE

 935-PF02B
 METAL FRAME, FOR 2 POWERDOT, SILVER


 935-PF02B
 METAL FRAME, FOR 2 POWERDOT, BLACK

 935-PF02B
 METAL FRAME, FOR 2 POWERDOT, BLACK

935-PF04 METAL FRAME, FOR 4 POWERDOT, SILVER 935-PF04B METAL FRAME, FOR 4 POWERDOT, BLACK

935-PFCWImage: METAL COVER, WHITE935-PFCSImage: METAL COVER, SILVER935-PFCBImage: METAL COVER, BLACK

AONDATOR



Powerdot Midi Ø 60 mm





Even smaller...

The 60 mm Powerdot meets the demand for a fancy access point including power, and any cables that can be fitted through. The PM61 model has instead a powerful USB-charger for your convenience. It may be mounted in a standard 60 mm hole or integrated in the tabletop with a milled edge for a stylish flush apperence.



935-PM60W POWERDOT MIDI, WHITE 1 POWER, 1 CABLE PORT WITH CLIPS 1.7 M CONNECTION (SCHUKO) FIXED LEVEL. HEIGHT 74.1 MM



ONDATOF

935-PM61W POWERDOT MIDI, WHITE 1 POWER, 1 USB-CHARGER (2.1A) 1.7 M CONNECTION (SCHUKO) FIXED LEVEL. HEIGHT 82.1 MM




935-PM60 POWERDOT MIDI, BLACK 1 POWER, 1 CABLE PORT WITH CLIPS 1.7 M CONNECTION (SCHUKO) FIXED LEVEL, HEIGHT 74.1 MM 935-PM70 POWERDOT MIDI, UK VERSION 935-PM80 POWERDOT MIDI, FRENCH VERSION



935-PM61 POWERDOT MIDI, BLACK 1 POWER, 1 USB-CHARGER (2.1A) 1.7 M CONNECTION (SCHUKO) FIXED LEVEL. HEIGHT 82.1 MM 935-PM71 POWERDOT MIDI, UK VERSION

935-PM81 POWERDOT MIDI, FRENCH VERSION





SPECIFICATIONS


- 1 x Power, 1 x USB-charger (QC2.0 5-12V, 1-2A),
 1 x USB-C port (3.1 Gen1 20V, 3A)
- Connection: Schuko/grounded
 1.5 m (3x1.5 mm²)
- Drilling diameter 60 mm
- Height 74/82 mm
- Max tabletop 52 mm
- Adjustable in two height levels

Accessories: Frames & covers, 105x105 mm, Silver/White/Black

Powerdot Mini Ø 51 mm

www.kondator.se






Ø56.8 20:2 20:2 Ø50.4 mm

The world's smallest outlet!

The Powerdot Mini is made to allow an electrical outlet to fit. We made an additional alternative version with 2 USB charger ports in the same size.



SPECIFICATIONS

- Power cord 1.5 m (Schuko)
- Max tabletop 30 mm
- Heigth total 65 mm
- Drilling diameter 51 mm

Part no

 Power:
 935-PM50
 Black
 935-PM50W
 White

2 USB-chargers: 935-PM51 Black 935-PM51W White



935-PM50W POWERDOT MINI, WHITE 935-PM50 POWERDOT MINI, BLACK 1 POWER OUTLET





935-PM51W DOWERDOT MINI, WHITE 935-PM51 POWERDOT MINI, BLACK 2 USB-CHARGER (2.4 A)

Powerdot Micro Ø 30 mm

935-PM30 Black 935-PM30W White







14 A



The Powerdot meets the demand for a small, stylish USB charger that fits almost anywhere. It has the modest diameter of only 30 mm, still equipped with two outlets of total 2 A charing power.



PM30(W) has a small power adapter included. You can also connect the USB cable to any other USB port.

MONDATOR

CE CERTIFIED ACCORDING TO CE AND GS STANDARD

€ 2 USB-CHARGERS

SPECIFICATIONS

- Electrical Connection: 2 x USB Charger Total 5V, 2000 mA
- Power cord 1.5 m
- Max tabletop 26 mm
- Heigth total 35.8 mm
- Drilling diameter 30 mm
- Part no
 935-PM30
 935-PM30W
 White



Kondator AB P.O. Box 121 S-135 23 Tyresö SWEDEN

Visiting address Energivägen 8 S-135 49 Tyresö SWEDEN

Telephone +46-8-556 595 00

web www.kondator.se e-mail info@kondator.se

Org no 556500-1947



Kondator values our environment and our Management System is Certified by Intertek according to ISO14001, Certificate 1417792





Kondator is associated to FTI - the Packaging and Newspaper Collection Service and EI-Kretsen for active recycling of packaging material and electronic devices.